

Recordkeeping

Latest Revision

2021

How to Cite: American Academy of Pediatric Dentistry. Recordkeeping. The Reference Manual of Pediatric Dentistry. Chicago, Ill.: American Academy of Pediatric Dentistry; 2023:564-71.

Abstract

This best practice presents recommendations regarding recordkeeping for dental patients. The patient record is an essential component of the delivery of competent and quality oral health care. Electronic dental records are being adopted by more dental practices and may assist with quality and efficiency of health care. Data security and privacy of identifiable health information are important considerations in recordkeeping. The patient record allows the provider, the patient, and authorized third parties to access the history and details of patient assessment and communications between dentists and patients, as well as specific treatment recommendations, alternatives, and risks and care provided. This document provides dental professionals with guidance on several pertinent aspects of dental recordkeeping including general charting considerations, components of a patient record, patient medical and dental histories, comprehensive and limited clinical examinations, treatment planning and informed consent, progress notes, correspondence and consultations, records transfer, corrections to records, retention of records, and patient access to their health records. The scope of information to include and formatting for consistency and ease of interpretation are addressed.

This document was developed through a collaborative effort of the American Academy of Pediatric Dentistry Councils on Clinical Affairs and Scientific Affairs to offer updated information and guidance on recordkeeping.

KEYWORDS: DENTAL RECORDS; DOCUMENTATION; ELECTRONIC HEALTH RECORDS; MEDICAL RECORDS

Purpose

The American Academy of Pediatric Dentistry (AAPD) recognizes the patient record is an essential component of the delivery of competent and quality oral health care. It serves as an information source for the care provider and patient, as well as any authorized third party. This document will assist the practitioner in assimilating and maintaining a comprehensive, uniform, and organized record addressing patient care. However, it is not intended to create a standard of care.

Methods

This best practice was developed by the Council on Clinical Affairs, adopted in 2004¹, and last revised in 2017.² This revision included a new literature search of the PubMed®/MEDLINE database using the terms: dental record, electronic patient record, problem-oriented dental record, medical history taking, medical record, record keeping, Health Insurance Portability and Accountability Act (HIPAA), telehealth in dentistry, data breach, medical necessity, problem-focused record, and record transfer/sharing of images; fields: all; limits: within the last five years, humans, and English. See Appendix for the search strategy. Papers for review were chosen from this list and from the references within selected articles and dental textbooks. When data did not appear sufficient or were inconclusive, recommendations were based upon expert and/or consensus opinion by experienced researchers and clinicians.

Background

The patient record provides all privileged parties with the history and details of patient assessment and communications between dentist and patient, as well as specific treatment recommendations, alternatives, risks, and care provided. The patient record is an important legal document in third-party relationships. Poor or inadequate documentation of patient care consistently has been reported as a major contributing factor in unfavorable legal judgments against dentists.^{3,4} Therefore, the AAPD recognizes that recommendations on recordkeeping may provide dentists the information needed to compile an accurate and complete patient chart that can be interpreted by a knowledgeable third party. An electronic dental record (EDR) is becoming more commonplace and perhaps will become mandatory.⁴⁻⁷ Health information systems and electronic health records (EHR) are being implemented as a means to improve the quality and efficiency of health care.⁸ Advantages include quality assurance by allowing comparative analysis of groups of patients or providers, medical and dental history profiles for demographic data, support for decision making based on signs and symptoms, administrative management for patient education and recall, and electronic

ABBREVIATIONS

AAPD: American Academy of Pediatric Dentistry. **EDR:** Electronic dental record. **EHR:** Electronic health record. **HIPAA:** Health Insurance Portability and Accountability Act. **PHI:** Protected health information. **TMD:** Temporomandibular disorder. **TMJ:** Temporomandibular joint.

data interchange with other professional and third parties. In addition, EHRs enable quality improvement to be implemented in individual or group practices more readily. Quality improvement is the process of evaluating clinical practice, measuring effectiveness, and implementing changes to improve patient outcomes.⁹ Quality improvement strategies support and evaluate care delivery and allow changes to be made in clinical practice. While most electronic dental billing systems do not easily allow for entry of diagnostic codes, clinicians can enter dummy codes to represent diagnoses and outcomes to evaluate clinical outcomes more easily.⁹

HIPAA is the Health Insurance Portability and Accountability Act.¹⁰ Originally passed by Congress in 1996, it has evolved significantly. Its primary purposes are to provide for privacy and security of individually-identifiable health information, but it also provides for data breach notifications and additional requirements for covered entities.¹⁰ The requirements of HIPAA are applicable to dental offices, rather numerous, and complex. The United States Department of Health and Human Services recommends that dentists and their staff participate in regular education and training on HIPAA requirements to maintain familiarity with changing regulations regarding patient privacy.¹⁰

Data security is important in recordkeeping and, with the widespread use of EHR, security requires evaluation of every data interface, including data that is stored in the cloud, to ensure data and patient information protection.¹¹ A requirement of the Security Rule of HIPAA is to perform regular security risk analyses of electronic systems that store and transmit protected health information (PHI).¹² Daily backup of the office software system stored in an electronic data base retrievable by off-site personnel allows for the continuity of care and business operations in the event that patient records are lost or damaged. To be compliant with HIPAA, software systems, including backup hard drives, should be encrypted in case of a data breach. Correspondence with another care provider via email, facsimile, and other forms of communication may be encrypted to protect PHI, and providers should follow regulations and mandates on this topic.¹³ Impermissible use or disclosure of PHI also is considered a data breach subject to state and federal laws regarding security breach notification.¹⁴ Record access is intended only for those who require it to perform their duties. If a computer accessing patient information is placed where people other than the patient can view the screen, a privacy filter can decrease risk of compromise. Screen closure after a period of inactivity will help protect privacy if the computer is left unattended.¹⁵

Recommendations

The elements of recordkeeping addressed in this document are general charting considerations; initial patient record; components of a patient record; patient medical and dental histories; comprehensive and limited clinical examinations; treatment planning and informed consent; progress notes; correspondence, consultations, and ancillary documents;

teledentistry; records transfer; record correction and retention; and accessibility to records. Forms completed by the parent should be available in languages commonly found in the area where a treatment facility is located.¹⁶

General charting considerations

The dental record must be authentic, accurate, well thought out, legible, and objective. Each patient should have an individual dental record. A well-documented record reflects a patient's history and care, allowing for continuity of care.¹⁷ Chart entries should contain the initials or name of the individual making the note. Documentation is the responsibility of many dental team members, including the dentist, hygienist, dental assistant, front desk staff, and others.¹⁸ Abbreviations should be standardized for the practice. After data collection, a list is compiled that includes medical considerations, psychological/behavioral considerations, and the oral health needs to be addressed. Problems are listed in order of importance in a standardized fashion making it less likely that an area might be overlooked. The plan identifies a general course of treatment for each problem. This plan can result in the need for additional information, consultation with other practitioners, patient education, and preventive strategies. Documentation should include everything that was accomplished during an appointment including, but not limited to, discussion of medical history changes, assessments performed, and discussions with the parent and/or patient and should be made at the time of the appointment or soon thereafter.^{18,19} If a practitioner needs to add or clarify a note, a separate entry in the chart should be made.^{15,18} Templates are widely available; these have shown to increase compliance when compared to hand-written notes.²⁰ Clinicians should be aware of accuracy when completing templates, as incomplete sentences, unpopulated fields in templates, and conflicting statements have been noted.²¹

Initial patient record

The parent's/patient's initial contact with the dental practice, usually via telephone or web-based form, allows both parties an opportunity to address the patient's primary oral health needs and to confirm the appropriateness of scheduling an appointment with that particular practitioner. This conversation or form may elicit basic patient information such as:

- patient's name, nickname, and date of birth.
- sex assigned at birth and gender identity.
- name, address, and telephone number of parent.
- name of referring party.
- significant medical history.
- chief complaint.
- availability of medical/dental records (including radiographs) pertaining to patient's condition.
- preferred language.

Such information constitutes the initial dental record. At the first visit to the dental office, additional information would be obtained and a permanent dental record developed.

Components of a patient record

The dental record must include each of the following specific components¹⁹:

- medical history;
- dental history;
- clinical assessment;
- radiographic or other images obtained, if any, and their interpretation;
- diagnosis or differential diagnosis;
- treatment recommendations;
- parental consent;
- progress notes; and
- acknowledgment of receipt of Notice of Privacy Practices/HIPAA consent¹⁰.

When applicable, the following should be incorporated into the patient's record as well:

- caries-risk assessment;
- periodontal-risk assessment;
- patient assent;
- sedation/general anesthesia records;
- traumatic injury records;
- orthodontic records;
- consultations/referrals;
- laboratory orders;
- test results;
- additional ancillary records; and
- post-treatment instructions and prescriptions.

Medical history²²⁻²⁴

An accurate, comprehensive, and up-to-date medical history is necessary for correct diagnosis, effective treatment planning, and patient safety. Familiarity with the patient's medical history is essential to decreasing the risk of aggravating a medical condition while rendering oral health care. Additionally, a thorough history can aid the diagnosis of dental as well as medical conditions. The practitioner, or staff under the supervision of the practitioner, must obtain a medical history from the parent²⁵ (if the patient is under the age of 18) before commencing patient care. When the parent cannot provide adequate details regarding a patient's medical history, if the patient is medically compromised, or if the dentist providing care is unfamiliar with the patient's medical diagnosis, consultation with the medical health care provider may be indicated.

Documentation of the patient's medical history includes the following elements of information, with elaboration of positive findings:

- medical conditions and illnesses;
- name and, if available, telephone number of primary and specialty medical care providers;
- current therapies (e.g., physical, occupational, speech);
- hospitalizations/surgeries;
- anesthetic experiences;
- current medications;

- allergies/reactions to medications;
- other allergies/sensitivities;
- immunization status;
- review of systems;
- family history; and
- social history.

The history form should provide the parent additional space for information regarding positive historical findings, as well any medical conditions not listed. There should be areas on the form indicating the date of completion, the signature of the person providing the history (along with his relationship to the patient), and the signature of the staff member reviewing the history with the parent. Records of patients with significant medical conditions should be marked 'medical alert' in a conspicuous yet confidential manner. A sample pediatric medical history form can be found in AAPD's *The Reference Manual of Pediatric Dentistry*.²⁶

Supplemental history for infants/toddlers^{26,27}

The very young patient can present with unique developmental and social concerns that impact the health status of the oral cavity. Information regarding these considerations may be collected via a supplemental history questionnaire for infants/toddlers. Topics to be discussed may include a history of prematurity/perinatal complications, developmental considerations, feeding and dietary practices, timing of first tooth appearance, and tooth brushing initiation and timing as well as toothpaste use. Assessment of developmental milestones (e.g., gross/fine motor skills, language, social interactions) is crucial for early recognition of potential delays and appropriate referral to therapeutic services.²⁸ As a majority of infants and toddlers of employed parents receive childcare on a regular basis,²⁹ and because the primary caretaker influences the child's risk for caries, the questionnaire also should ascertain childcare arrangements. Data gathered from this questionnaire will benefit the clinical examination, caries-risk assessment, preventive homecare plan, and anticipatory guidance counseling. A sample pediatric medical history form can be found in AAPD's *The Reference Manual of Pediatric Dentistry*.²⁶

Supplemental history for adolescents^{10,12}

The adolescent can present particular psychosocial characteristics that impact the health status of the oral cavity, care seeking, and compliance. Integrating positive youth development²² into the practice, the practitioner should obtain additional information confidentially from teenagers. Topics to be discussed may include nutritional and dietary considerations, eating disorders, alcohol and substance misuse, tobacco and electronic cigarette usage, over-the-counter medications and supplements, and body art (e.g., intra- and extra-oral piercings, tattoos), as well as the use of oral contraceptives and pregnancy for the female adolescent. A sample pediatric medical history form can be found in AAPD's *The Reference Manual of Pediatric Dentistry*.²⁶

Medical update²⁶

At each patient visit, the history should be consulted and updated. Recent medical attention for illness or injury, newly diagnosed medical conditions, allergy, and changes in medications should be documented. A written update should be obtained at each recall visit and updated in the EDR.

Dental history^{22,26,27,31}

A thorough dental history is essential to guide the practitioner's clinical assessment, make an accurate diagnosis, and develop a comprehensive preventive and therapeutic program for each patient. The dental history should address the following:

- chief complaint;
- previous dental experience;
- date of last dental visit/radiographs;
- oral hygiene practices;
- fluoride use/exposure history;
- dietary habits (including breastfeeding, bottle/no-spill training cup use in young children);
- oral habits;
- sports activities;
- previous orofacial trauma;
- temporomandibular joint (TMJ) history;
- family history of caries; and
- social development.

A sample pediatric medical history form can be found in AAPD's *The Reference Manual of Pediatric Dentistry*.²⁶

Comprehensive clinical examination^{22,32,33}

A visual examination should precede other diagnostic procedures. Components of a comprehensive clinical examination include:

- general health/growth assessment (e.g., height, weight, body mass index calculation, vital signs);
- pain assessment;
- extraoral soft tissue examination;
- TMJ assessment;
- intraoral soft tissue examination;
- oral hygiene and periodontal health assessment;
- assessment of the developing occlusion;
- intraoral hard tissue examination;
- radiographic assessment, if indicated^{34,35};
- caries-risk assessment³⁶; and
- assessment of cooperative potential/ behavior of child.³⁷

The dentist may employ additional diagnostic tools to complete the oral health assessment. Such diagnostic aids may include electric or thermal pulp testing, percussion, transillumination, caries detection devices, salivary tests, photographs, computed tomography (CBCT), laboratory tests, and study casts. Speech, in children who are able to talk, may be evaluated and provide additional diagnostic information.

To enhance patient diagnosis and treatment documentation, the practitioner should consider including photographs of

the child's oral condition in the dental record. Photographs may be indicated to:

- facilitate diagnosis.
- verify presence or characteristics of a condition (e.g., decalcification, molar-incisor hypomineralization) that may not be documented adequately by other means (e.g., radiographs).
- monitor a finding for clinical changes.
- document acute traumatic injuries, particularly if abuse may be suspected.
- facilitate education and treatment planning.
- document teledentistry consultation.
- facilitate determination of medical necessity by third party payors.

Permission to obtain photographs to facilitate treatment should be addressed within a general consent for care.³⁸ If images containing PMI are intended for other use (e.g., publication, presentation), specific written authorization is required.³⁸ Although photographs without identifiable PHI may be exempt from HIPAA regulations,³⁸ practitioners should consult HIPAA rule and state regulations prior to dissemination of images. Photographs, along with adequate diagnostic radiographs, can enhance the documentation of medical necessity of treatment.

Examinations of a limited nature

If a patient is seen for limited care, a consultation, an emergency, or a second opinion, a medical and dental history must be obtained, along with a hard and soft tissue examination as deemed necessary by the practitioner. Documentation should clearly state the limited scope of the evaluation. The parent should be informed of the limited nature of the treatment and counseled to seek routine comprehensive care after resolution of the acute issue. AAPD's *Acute Traumatic Injuries: Assessment and Documentation*³⁹ provides greater details on diagnostic procedures and documentation for emergent traumatic injury care.

Treatment recommendations and informed consent⁴⁰

Once the clinician has obtained the medical, dental, and social histories and evaluated the information obtained during the diagnostic procedures, the diagnoses should be derived and a sequential prioritized treatment plan developed. The treatment plan would include specific information regarding the teeth and surfaces to be treated, selected procedures/materials to be used, number of appointments/time frame needed to accomplish this care, behavior guidance techniques beyond basic communicative techniques that may be employed, and fee for proposed procedures. The dentist is obligated to educate the parent on the need for and benefits of the recommended care, as well as risks, alternatives, and expectations if no intervention is provided. When deemed appropriate, the patient should be included in these discussions.^{40,41} Information should be provided to the patient in an age-appropriate manner, and

practitioners should seek assent (agreement) from the patient whenever possible.⁴⁰ The dentist should not attempt to decide what the parent will accept or can afford. After the treatment options are presented, the parent should have the opportunity to ask questions regarding the proposed care and have concerns satisfied prior to giving informed consent. Informed consent may include various forms and be procedure specific.⁴⁰ For adult patients with special health care needs, determining who legally can provide consent for treatment is essential.⁴⁰ The practitioner should document interpreters or translation services used to aid communication (e.g., in person, by telephone). Documentation should include that questions were encouraged and answered and the parent appeared to understand and accepted the proposed procedures. Any special restrictions or concerns voiced by the parent should be documented. The people who were present during the discussion may be documented. If the parent refuses treatment and a treatment refusal form is signed, it should be retained in the record.¹⁸ A signed dental informed consent for sedation and general anesthesia should be maintained in the record. A signed informed consent form should not preclude or replace a detailed discussion regarding recommended treatment and treatment modalities.

Progress notes

An entry must be made in the patient's record that accurately and objectively summarizes each visit. The entry must minimally contain the following information:

- date of visit;
- reason for visit/chief complaint;
- radiographic exposures and interpretation, if any;
- treatment rendered including, but not limited to:
 - teeth restored and materials used,
 - the type and dosage of anesthetic agents⁴²,
 - medications, and/or nitrous oxide/oxygen⁴³,
 - type/duration of protective stabilization⁴⁴,
 - treatment complications, and
 - adverse outcomes; and
- post-operative instructions and prescriptions as needed.

In addition, the entry generally should document:

- changes in the medical history, if any;
- adult accompanying child;
- presence of the accompanying adult in the operatory, if applicable;
- significant conversations with the parent regarding limitations, prognosis, behavior challenges, or other issues that might be out of the ordinary;
- verification of compliance with preoperative instructions;
- reference to supplemental documents;
- patient behavior guidance; and
- planned treatment for next visit.

A standardized format may provide the practitioner a way to record the essential aspects of care on a consistent basis. One example of documentation is the SOAP note.⁴⁵ SOAP is an acronym for subjective (S) or what the patient says or reports, objective (O) or the observations of the clinician or test results, assessment (A) or diagnosis/differential diagnosis of the problem, and plans (P) for what and how treatment will be provided. The signature or initials of the office staff member documenting the visit should be entered. The dentist has the ultimate responsibility for all entries made in the chart and may countersign all treatment progress note entries.

When sedation or general anesthesia is employed, additional documentation on a time-based record is required, as discussed in AAPD's *Guideline for Monitoring and Management of Pediatric Patients Before, During and After Sedation for Diagnostic and Therapeutic Procedures*.⁴⁶ A sample sedation record form can be found in AAPD's *The Reference Manual of Pediatric Dentistry*.⁴⁷

Progress notes should document telephone conversations and email and text correspondence regarding the patient's care. Information including complications from treatment and questions/concerns regarding planned treatment should be documented. Appointment history (i.e., cancellations, failures, tardiness, rescheduled visits) may be retained in the record.¹⁸ Documentation also should include noncompliance with treatment recommendations as well as educational materials utilized (both video and written). Any referrals made should be included, along with identification of the staff member making the entry in the dental record.

Teledentistry⁴⁸

Dentists are encouraged to understand their state's regulations regarding documentation and consent requirements for teledentistry. Documentation of a teledentistry patient visit should include a thorough description of the encounter in accordance with state regulations as part of the patient record. Security measures and privacy of protected patient information should be maintained in compliance with state and federal laws.⁴⁸

Orthodontic treatment

AAPD's *Management of the Developing Dentition and Occlusion in Pediatric Dentistry*⁴⁹ provides general recommendations on the documentation of orthodontic care. Signs and symptoms of TMJ disorders should be recorded when they occur before, during, or after orthodontic treatment.⁵⁰ During orthodontic treatment, progress notes should include deficiencies in oral hygiene, loose bands and brackets, patient complaints, caries lesions, decalcification/caries, root resorption, and appointment cancellations and failures.

Correspondence, consultations, and ancillary documents

The primary care dentist often consults with other health care providers in the course of delivery of comprehensive oral health care, especially for patients with special health care needs or complex oral conditions. Communications with medical care

8. Balgrosky JA. Alignment: Health information systems and technology and current challenges in healthcare. In: *Essentials of Health Information Systems and Technology*. Burlington, Mass.: Jones and Bartlett Learning; 2015:3-7.
9. Ng MW. Quality improvement efforts in pediatric oral health. *J Calif Dent Assoc* 2016;44(4):223-32.
10. U.S. Department of Health and Human Services. Summary of the HIPAA Privacy Rule. July 26, 2013. Available at: "<https://www.hhs.gov/hipaa/for-professionals/privacy/laws-regulations/index.html>". Accessed September 27, 2021.
11. Zeadally S, Tellez Isaac J, Baig Z. Security attacks and solutions in electronic health (e-health) systems. *J Med Syst* 2016;40(12):263.
12. Plunkett L. How secure are your patient records? *NY State Dent J* 2016;82(1):4-8.
13. Schulte D. Is encryption of email with dental record information required? *J Mich Dent Assoc* 2016;98(11):18.
14. CDA Risk Management Staff. Top seven data breach considerations. *J Calif Dent Assoc* 2016;44(1):49-50, 52.
15. Hadden AM, FGDP(UK) Clinical Examination and Record-Keeping Working Group. Clinical examination and record-keeping: Part 3: Electronic records. *Br Dent J* 2017;223(12):873-6.
16. U.S. Department of Health and Human Services. Guidance to federal financial assistance recipients regarding Title VI prohibition against national origin discrimination affecting limited English proficient persons, Part C. Written language services (translation). Available at: "<https://www.hrsa.gov/sites/default/files/hrsa/grants/manage/technicalassistance/written-translation-LEP.pdf>". Accessed September 27, 2021.
17. Ngo E, Patel N, Chandrasekaran K, Tajik AJ, Paterick TE. The importance of the medical record: A critical professional responsibility. *Med Pract Manage* 2016;31(5):305-8.
18. Spindler J. Reduce your malpractice risk: Top 10 documenting mistakes to avoid. *J Mich Dent Assoc* 2015;97(12):24-29.
19. Amos KJ, Cockrell DJ, Palermo C, Rosehill S, Bearman M. Attributes of the complete dental record: A Delphi approach to standards. *Aust Dent J* 2017;62(4):426-32.
20. McAndrew R, Ban J, Playle R. A comparison of computer- and hand-generated clinical dental notes with statutory regulations in record keeping. *Eur J Dent Educ* 2012;16(1):e117-21.
21. D'Cruz L, Rattan R. Electronic dental records: Unintended consequences. *Brit Dent J* 2018;224(8):582-3.
22. Yepes JF, Dean JA. Examination of the mouth and other relevant structures. In: Dean JA, senior ed., Jones JE, Sanders BJ, Vinson LAW, Yepes JF, eds. *McDonald and Avery's Dentistry for the Child and Adolescent*. 11th ed. St. Louis, Mo.: Elsevier; 2022:1-18.
23. Cooke M, Brewer J. Medical emergencies. In: Nowak AJ, Christensen J, Marbry T, Townsend J, Wells M, eds. *Pediatric Dentistry: Infancy through Adolescence*. 6th ed. Philadelphia, Pa.: Elsevier; 2019:142-58.
24. American Academy of Pediatric Dentistry. Adolescent oral health care. *The Reference Manual of Pediatric Dentistry*. Chicago, Ill.: American Academy of Pediatric Dentistry; 2021:267-76.
25. American Academy of Pediatric Dentistry. Overview. Definition: Parent. *The Reference Manual of Pediatric Dentistry*. Chicago, Ill.: American Academy of Pediatric Dentistry; 2021:8.
26. American Academy of Pediatric Dentistry. Pediatric medical history. *The Reference Manual of Pediatric Dentistry*. Chicago, Ill.: American Academy of Pediatric Dentistry; 2021:593-5. Available at: "<https://www.aapd.org/research/oral-health-policies--recommendations/pediatric-medical-history/>". Accessed October 18, 2021.
27. American Academy of Pediatric Dentistry. Perinatal and infant oral health care. *The Reference Manual of Pediatric Dentistry*. Chicago, Ill.: American Academy of Pediatric Dentistry; 2021:262-6.
28. Scharf RJ, Scharf GJ, Stroustrup A. Developmental milestones. *Pediatr Rev* 2016;37(1):25-37.
29. Laughlin L. Who's Minding the Kids? *Child Care Arrangements: Spring 2011. Current Population Reports*. Washington, D.C.: U.S. Census Bureau; 2013:70-135. Available at: "<https://www.census.gov/prod/2013pubs/p70-135.pdf>". Accessed September 27, 2021.
30. Brecher E, Stark T, Christensen J, Sheats R. Examination, diagnosis, and treatment planning for general and orthodontic problems. In: Nowak A, Christensen J, Mabry T, Townsend J, Wells M, eds. *Pediatric Dentistry: Infancy through Adolescence*. 6th ed. Philadelphia, Pa.: Elsevier; 2019:562-87.
31. American Academy of Pediatric Dentistry. Periodicity of examination, preventive dental services, anticipatory guidance, and oral treatment for children. *The Reference Manual of Pediatric Dentistry*. Chicago, Ill.: American Academy of Pediatric Dentistry; 2021:241-51.
32. Little JW, Miller CS, Rhodus, NL. Patient evaluation and risk assessment. In: *Dental Management of the Medically Compromised Patient*. 9th ed. St. Louis, Mo.: Elsevier; 2017:1-17.
33. American Academy of Pediatric Dentistry. Acquired temporomandibular disorders in infants, children, and adolescents. *The Reference Manual of Pediatric Dentistry*. Chicago, Ill.: American Academy of Pediatric Dentistry; 2021:426-34.
34. American Academy of Pediatric Dentistry. Prescribing dental radiographs for infants, children, adolescents, and persons with special health care needs. *The Reference Manual of Pediatric Dentistry*. Chicago, Ill.: American Academy of Pediatric Dentistry; 2021:258-61.

35. Aps JKM, Lee JE. Radiology. In: Nowak AJ, Casamassimo PS, eds. *The Handbook of Pediatric Dentistry*. 5th ed. Chicago, Ill.: American Academy of Pediatric Dentistry; 2018:111-24.
36. American Academy of Pediatric Dentistry. Caries-risk assessment and management for infants, children, and adolescents. *The Reference Manual of Pediatric Dentistry*. Chicago, Ill.: American Academy of Pediatric Dentistry; 2021:252-7.
37. American Academy of Pediatric Dentistry. Behavior guidance for the pediatric dental patient. *The Reference Manual of Pediatric Dentistry*. Chicago, Ill.: American Academy of Pediatric Dentistry; 2021:306-24.
38. Nettrour JF, Burch MB, Bal BS. Patients, pictures, and privacy: Managing clinical photographs in the smart-phone era. *Anthroplast Today* 2019;5(1):57-60.
39. American Academy of Pediatric Dentistry. Acute traumatic injuries: Assessment and documentation. *The Reference Manual of Pediatric Dentistry*. Chicago, Ill.: American Academy of Pediatric Dentistry; 2021:598-99.
40. American Academy of Pediatric Dentistry. Informed consent. *The Reference Manual of Pediatric Dentistry*. Chicago, Ill.: American Academy of Pediatric Dentistry; 2021:480-3.
41. Katz AL, Webb SA, American Academy of Pediatrics Committee on Bioethics. Informed consent in decision-making in pediatric practice. *Pediatrics* 2016;138(2):e20161485.
42. American Academy of Pediatric Dentistry. Use of local anesthesia for pediatric dental patients. *The Reference Manual of Pediatric Dentistry*. Chicago, Ill.: American Academy of Pediatric Dentistry; 2021:332-7.
43. American Academy of Pediatric Dentistry. Use of nitrous oxide for pediatric dental patients. *The Reference Manual of Pediatric Dentistry*. Chicago, Ill.: American Academy of Pediatric Dentistry; 2021:338-43.
44. American Academy of Pediatric Dentistry. Protective stabilization of pediatric dental patients. *The Reference Manual of Pediatric Dentistry*. Chicago, Ill.: American Academy of Pediatric Dentistry; 2021:325-31.
45. Chasteen JE, Cameron CA, Phillips SL. An audit system for assessing dental record keeping. *J Dent Educ* 1996;60(12):978-86.
46. Coté CJ, Wilson S, American Academy of Pediatric Dentistry, American Academy of Pediatrics. Guidelines for monitoring and management of pediatric patients before, during, and after sedation for diagnostic and therapeutic procedures. *Pediatr Dent* 2019;41(4):E26-E52.
47. American Academy of Pediatric Dentistry. Sedation record. *The Reference Manual of Pediatric Dentistry*. Chicago, Ill.: American Academy of Pediatric Dentistry; 2021:606-7. Available at: "<https://www.aapd.org/research/oral-health-policies--recommendations/sedation-record/>". Accessed October 18, 2021.
48. American Academy of Pediatric Dentistry. Policy on tele-dentistry. *The Reference Manual of Pediatric Dentistry*. Chicago, Ill.: American Academy of Pediatric Dentistry; 2021:51-2.
49. American Academy of Pediatric Dentistry. Management of the developing dentition and occlusion in pediatric dentistry. *The Reference Manual of Pediatric Dentistry*. Chicago, Ill.: American Academy of Pediatric Dentistry; 2021:408-25.
50. Machen DE. Legal aspects of orthodontic practice: Risk management concepts. *Am J Orthod Dentofac Orthop* 1989;96(2):173-5.
51. American Academy of Pediatric Dentistry. Record transfer. *The Reference Manual of Pediatric Dentistry*. Chicago, Ill.: American Academy of Pediatric Dentistry; 2021:609. Available at: "<https://www.aapd.org/research/oral-health-policies--recommendations/record-transfer/>". Accessed October 18, 2021.
52. Sweeney AE. The Cures Act Final Rule: Interoperability focused policies that empower patients and support providers. *Health IT Buzz Blog*. 9 March 2020. Available at: "<https://www.healthit.gov/buzz-blog/21st-century-cures-act/the-cures-final-rule>". Accessed September 27, 2021.
53. Blease C, Walker J, DesRoches CM, Delbanco T. New US law mandates access to clinical notes: Implications for patients and clinicians. *Ann Intern Med* 2021;174(1):101-2.
54. Burger D. ADA leads the charge to foster interoperability. *ADA News*, September 29, 2020. Available at: "<https://www.ada.org/en/publications/ada-news/2020-archive/september/ada-standards-committee-on-dental-informatics-leads-charge-to-foster-interoperability>". Accessed September 27, 2021.